





GE  
Lighting

## 29503 - G36T5/4P/SE

### GE T5 - Germicidal

• Germicidal lamps use a special glass that transmits 254nm energy that inactivates bacteria, viruses, molds, and cysts by preventing replication.



### GENERAL CHARACTERISTICS

Lamp Type	Linear Fluorescent - Straight
Bulb	Linear
Base	T5
Bulb Finish	4-Pin (G10q)
Rated Life	Clear
Bulb Material	9000.0 hrs
Primary Application	UV transmitting glass
	Germicidal9;Speciality

### PHOTOMETRIC CHARACTERISTICS

UVC Output	12.0 W
------------	--------

### ELECTRICAL CHARACTERISTICS


Wattage	39.0
Voltage	115.0
Current (max)	0.425 A

### DIMENSIONS

Maximum Overall Length (MOL)	34.0000 in(863.6 mm)
Nominal Length	34.000 in(863.6 mm)
Bulb Diameter (DIA)	0.630 in(16.0 mm)
Outside Bulb Diameter (MAX)	0.630 in(16.0 mm)
Max Base Face to Base Face (A)	33.280 in(845.3 mm)

### PRODUCT INFORMATION

Product Code	29503
Description	G36T5/4P/SE
Standard Package	Case
Standard Package GTIN	10043168295038
Standard Package Quantity	24
Sales Unit	Unit
No Of Items Per Sales Unit	1
No Of Items Per Standard Package	24
UPC	043168295031



### CAUTIONS & WARNINGS

#### Caution

- Lamp may shatter and cause injury if broken
  - Do not use excessive force when installing lamp.
  - Wear safety glasses and gloves when handling lamp.

#### Warning


- Risk of Electric Shock
  - Turn power off before inspection, installation or removal.
- Lamp emits UV radiation which may cause eye/skin injury. RG-3

For additional information, visit [www.gelighting.com](http://www.gelighting.com)


- Avoid exposure of eyes and skin to unshielded lamp.

## GRAPHS & CHARTS


Graphs\_Germicidal Effectiveness



Graphs\_Percent Irradiance



Graphs\_UV Maintenance



Graphs\_Lamp Mortality

