

TUV T5

TUV 36T5 HO 4P SE UNP

TUV T5 lamps are single- or double-ended UVC (germicidal) lamps used in professional water and air disinfection units. The small 16 mm diameter of the lamp allows for a small system design and design flexibility. TUV T5 lamps offer constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy.

Product data

• General Characteristics

System Description	High Output
Cap-Base	4 Pins Single Ended
Cap-Base Information	4 Pins Single Ended
Bulb	T16
Main Application	Disinfection
Useful Life	9000 hr

• Electrical Characteristics

Rated Lamp Wattage	75 W
Technical Lamp	75 W
Power	
Lamp Voltage	97 V
Lamp Current	0.8 A

• Light Technical Characteristics

Colour Code	-
Colour Designation	-

• UV-related Characteristics

UV-C Radiation	25 W
----------------	------

• Product Dimensions

Reference Length A	845.4 (max) mm
Overall Length C	853 (max) mm
Diameter D	19.3 (max) mm


• Product Data

Order code	869708 99
Full product code	871150086970899
Full product name	TUV 36T5 HO 4P SE UNP
Order product name	TUV 36T5 HO 4P SE UNP/32
Pieces per pack	1
Packing configuration	32
Packs per outerbox	32
Bar code on pack - EAN1	8711500869708
Bar code on outerbox - EAN3	8711500869715
Logistic code(s) - 12NC	927972104099
Net weight per piece	87.000 gr

PHILIPS

sense and simplicity

Dimensional drawing





4 pins single ended

Product	A (Min)	A (Nom)	A (Max)	B (Min)	B (Norm)	B (Max)	C (Min)	C (Norm)	C (Max)	D (Max)	O (Norm)
TUV 36T5 HO 4P SE	-	-	845.4	-	-	-	-	-	853	19.3	-



Photometric data



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, May 17
data subject to change